



GRU DA CITTÀ SENZA CUSPIDE - TOP LESS CITY CRANE
CITY CRANE SANS POINÇON - CITY KRAN OHNE TURMSPITZE

MRT111



RAIMONDI




Scheda Tecnica
Technical Data Sheet
Fiche technique
Technische Spezifikationen





A4 FEM1,001



ALTEZZA SOTTOGANCIO

Height under hook / Hauteur sous crochet / Hakenhöhe

∅ 1,5 - L=3,8 mt.

H (m)	Z (t)	F1 (kN)	H (m)	Z (t)	F1 (kN)	H (m)	Z (t)	F1 (kN)
7	-	-	7	-	-	7	-	-
6	-	-	6	-	-	6	-	-
5	42,4	86,5	5	42,3	82,6	5	41,8	82,6
4	36,5	68,8	4	36,4	64,9	4	35,9	64,9
3	30,6	57,0	3	30,5	53,1	3	30,0	53,1
2	24,7	51,1	2	24,6	53,1	2	24,1	53,1
(5,9 m)	18,8	51,1	(5,9 m)	18,7	53,1	(5,9 m)	18,2	53,1
+1		401	+1		384	+1		382

∅ 1,5 mt.

H (m)	F2 (kN)	F3 (kN)
7	-	-
6	46,9	1328
5	41,0	1013
4	35,1	743
3	29,2	724
2	23,3	660
(5,9 m)	17,4	605
+1		401

∅ 1,5 - L=4,5 mt.

H (m)	Z (t)	F1 (kN)	H (m)	Z (t)	F1 (kN)	H (m)	Z (t)	F1 (kN)
7	-	-	7	-	-	7	-	-
(4,4 m)	46,8	80,6	(4,4 m)	46,7	76,7	(4,4 m)	46,2	76,7
6	-	-	6	-	-	6	-	-
5	42,4	62,9	5	42,3	59,0	5	41,8	59,0
4	36,5	51,1	4	36,4	47,2	4	35,9	47,2
3	30,6	45,2	3	30,5	41,3	3	30,0	41,3
2	24,7	39,3	2	24,6	35,4	2	24,1	35,4
(5,9 m)	18,8	39,3	(5,9 m)	18,7	35,4	(5,9 m)	18,2	35,4
+1		351	+1		345	+1		342

∅ 1,5 mt.

H (m)	F2 (kN)	F3 (kN)
7	55,7	1782
6	-	-
5	-	-
4	-	-
3	-	-
2	-	-
(5,9 m)	-	-
+1		-

∅ 1,7/1,5 - L=4,5 mt.

H (m)	Z (t)	F1 (kN)
6	53,9	88,5
5	-	-
4	-	-
3	-	-
2	-	-
(5,9 m)	-	-
+1	-	-

∅ 1,7/1,5 - L=6,0 mt.

H (m)	Z (t)	F1 (kN)
6	53,9	59,0
5	-	-
4	-	-
3	-	-
2	-	-
(5,9 m)	-	-
+1	-	-

∅ 1,7/1,5 mt.

H (m)	F2 (kN)	F3 (kN)
7	55,7	1684
6	-	-
5	-	-
4	-	-
3	-	-
2	-	-
(5,9 m)	-	-
+1	-	-